INTERNATIONAL JOURNAL OF
REMOTE SENSING

An official journal of the
Remote Sensing Society

VOLUME 24 2003

Taylor & Francis
Taylor & Francis Group

Typeset, printed and bound in Great Britain by
The Charlesworth Group, Huddersfield, 01484 517077

CONTENTS OF VOLUME 24

NUMBER 1

Cover. Satellite detection of forest fires in Korea and associated smoke plumes **Y.-S. Chung** 1

Real-time AVHRR forest fire detection in Mexico (1998–2000) **I. Galindo, P. López-Pérez and M. Evangelista-Salazar** 9

Mapping of Siberian forest landscapes along the Yenisey transect with AVHRR **V. I. Kharuk, K. J. Ranson, T. A. Burenina and E. V. Fedotova** 23

Remote sensing methods and techniques as a tool for the implementation of environmental legislation. The Greek Forest Law case study **V. Karathanassi, Ch. Iossifidis and D. Rokos** 39

Remote sensing of mangrove biophysical properties: evidence from a laboratory simulation of the possible effects of background variation on spectral vegetation indices **B. Meza Díaz and G. A. Blackburn** 53

A stepwise regression tree for nonlinear approximation: applications to estimating subpixel land cover **C. Huang and J. R. G. Townshend** 75

Improved classification of Landsat Thematic Mapper data using modified prior probabilities in large and complex landscapes **L. Pedroni** 91

The effect of histogram discontinuities on spectral information and non-supervised classifiers **R. Salvador and J. San-Miguel-Ayanz** 115

Book review 133

Remote Sensing Letters

AVHRR Land Pathfinder II (ALP II) data set: evaluation and inter-comparison with other data sets **H. Ouaidrari, N. El Saleous, E. F. Vermote, J. R. Townshend and S. N. Goward** 135

The use of Space Shuttle images to improve cloud detection in mapping of tropical coral reef environments **S. Andréfouët and J. A. Robinson** 143

Detection of logging in Amazonian transition forests using spectral mixture models **A. L. Monteiro, C. M. Souza Jr and P. Barreto** 151

Cation Exchange Capacity (CEC) determination from spectroscopy **P. C. Kariuki, F. Van Der Meer and P. N. W. Verhoef** 161

Effect of clouds on ESR SAR interferograms applied to land subsidence detection **C. Yonezawa and S. Takeuchi** 169

Detecting trends in landscape pattern metrics over a 20-year period using a sampling-based monitoring programme **J. A. Griffith, S. V. Stehman, T. L. Sohl and T. R. Loveland** 175

Ground deformation at Nisyros volcano (Greece) detected by ERS-2 SAR differential interferometry **O. Sykioti, C. C. Kontoes, P. Elias, P. Briole, M. Sachpazi, D. Paradissis and I. Kotsis** 183

Variance gain index for detection of boundary points in discrete one-dimensional data **J. Susaki and R. Shibasaki** 189

An estimation model for daily regional evapotranspiration **C. Yunhao, L. Xiaobing, J. Guifei and S. Peijun** 199

NUMBER 2

Characterization and radiometric calibration for remote sensing

Cover. 209

Eulogy for Nagaraja Rao **J. Sullivan and L. Stowe** 211

Preface **J. Tansock** 213

Development of a portable integrating sphere source for the Earth Observing System's calibration validation programme **S. W. Brown and B. C. Johnson** 215

Data uncertainty traced to SI units. Results reported in the International System of Units **D. B. Pollock, T. L. Murdock, R. U. Datla and A. Thompson** 225

Measurement errors in diffuse irradiance with non-Lambertian radiometers **P. W. Kiedron and J. J. Michalsky** 237

Landsat-5 Thematic Mapper cold focal plane characterization **S.-W. Liew and D. L. Helder** 249

On-orbit performance of the Landsat-7 ETM+ radiometric calibrators **B. L. Markham, J. L. Barker, E. Kaita, J. Seiferth and R. Morfitt** 265

Irradiance-based cross-calibration of Landsat-5 and Landsat-7 Thematic Mapper sensors **S. E. Black, D. L. Helder and S. J. Schiller** 287

Determination of NOAA-11 SBUV/2 radiance sensitivity drift based on meaurements of polar ice cap radiance **L. K. Huang, R. P. Cebula, S. L. Taylor, M. T. Deland, R. D. McPeters and R. S. Stolarski** 305

Improved calibration of NOAA-9 and NOAA-11 SBUV/2 total ozone data using in-flight validation methods **S. L. Taylor, R. P. Cebula, M. T. Deland, L.-K. Huang, R. S. Stolarski and R. D. McPeters** 315

An assessment of long-term ozone trend uncertainties using Total Ozone Mapping Spectrometers (TOMS) **G. Jaross, S. L. Taylor, C. G. Wellemeyer, R. P. Cebula, L.-K. Huang, R. S. Stolarski and R. D. McPeters** 329

System-level calibration of a transfer radiometer used to validate EOS radiance scales **B. C. Johnson, S. W. Brown, G. P. Eppeldauer and K. R. Lykke** 339

Spatial InfraRed Imaging Telescope III (SPIRIT III) Convert 6.2 interferometer certification **S. Mazuk, R. W. Russell, M. Bistransin, M. A. Mavofrides and M. Baca** 357

Deployment test of the NIST EOS Thermal-infrared Transfer Radiometer **J. P. Rice, S. C. Bender, W. H. Atkins and F. J. Lovas** 367

Component level prediction versus system level measurement of SABER relative spectral response **S. Hansen, J. Peterson, R. Esplin and J. Tansock** 389

SABER ground calibration **J. J. Tansock, S. Hansen, K. Paskett, A. Shumway, J. Peterson, J. Stauder, L. L. Gordley, Y. Wang, M. Melbert, J. M. Russell III and M. G. Mlynczak** 403

NUMBER 3

Cover. 421

A Fast Delivery system for the retrieval of near real-time ozone columns from GOME data **P. J. M. Valks, A. J. M. Piters, J. C. Lambert, C. Zehner and H. Kelder** 423

Remote sensing of cloud cover in the Arctic region from AVHRR data during the ARTIST experiment **C. Ananasso, R. Santoleri, S. Marullo and F. D'Ortenzio** 437

An example of a comparison between Thematic Mapper and radar images in the central Ebro basin **L. E. Arlegui and M. A. Soriano** 457

Determining depth and ice thickness of shallow sub-Arctic lakes using space-borne optical and SAR data **C. R. Duguay and P. M. Lafleur** 475

Remote sensing of ocean colour: accuracy assessment of an approximate atmospheric correction method **B. Bulgarelli and G. Zibordi** 491

Technical note. Chlorophyll distribution pattern in the Arabian Sea: seasonal and regional variability, as observed from SeaWiFS data **N. Chaturvedi and A. Narain** 511

Use of SeaWiFS imagery to detect three-dimensional distribution of suspended sediment **M. Deng and Y. Li** 519

An inversion method for reflectance in stratified turbid waters **S. Ouillon** 535

Detection of compression structures from SAR ERS imagery: example of the central Japan seismic area **D. Dhont, J. Chorowicz and J.-P. Cadet** 559

Morphological approach to extract ridge and valley connectivity networks from Digital Elevation Models **B. S. Daya Sagar, M. B. R. Murthy, C. Babu Rao and B. Raj** 573

Use of normalized difference built-up index in automatically mapping urban areas from TM imagery **Y. Zha, J. Gao and S. Ni** 583

Validation of urban boundaries derived from global night-time satellite imagery **M. Henderson, E. T. Yeh, P. Gong, C. Elvidge and K. Baugh** 595

Remote Sensing Letters

Forest ecosystem chlorophyll content: implications for remotely sensed estimates of net primary productivity **T. P. Dawson, P. R. J. North, S. E. Plummer and P. J. Curran** 611

A method for predicting fresh green leaf nitrogen concentrations from shortwave infrared reflectance spectra acquired at the canopy level that requires no *in situ* nitrogen data **Z. J. Bortolot and R. H. Wynne** 619

NUMBER 4

Cover. 625

Technical note. Confusion in data fusion **H. Varma, K. Fadaie, M. Habbane and J. Stockhausen** 627

Designing a rule-based classifier using syntactical approach **H. M. Onsi** 637

Comparison of a new algorithm with the supervised classifications **N. Emrahoğlu, İ. Yeğingil, V. Peştemalci, O. Şenkal and H. M. Kandirmaz** 649

Using fuzzy sets to improve cluster labelling in unsupervised classification **M. Ji** 657

An experimental study on spectral discrimination capability of a backpropagation neural network classifier **X.-H. Liu, A. K. Skidmore and H. van Oosten** 673

Noise estimation in remote sensing imagery using data masking **B. R. Corner, R. M. Narayanan and S. E. Reichenbach** 689

Tutorial review. Two-dimensional phase unwrapping for radar interferometry: developments and new challenges **R. Gens** 703

Comparison of radar image segmentation by Gaussian- and Gamma-Markov random field models **Y. Dong, B. C. Forster and A. K. Milne** 711

Correlation of precipitation estimates from spaceborne passive microwave sensors and weather radar imagery for BALTEX PIDCAP **R. Bennartz and D. B. Michelson** 723

Multi-resolution segmentation of soil moisture imagery by watershed pyramids with region merging **J. Bosworth, T. Koshimizu and S. T. Acton** 741

A mathematical study on effective wavenumber, an operative computation procedure, and its use with radiance–temperature relationships **C. Badenas and J. E. Onrubia** 761

Image-derived spectral endmembers as indicators of salinisation **R. Dehaan and G. R. Taylor** 775

Remote survey of large-scale braided, gravel-bed rivers using digital photogrammetry and image analysis **R. M. Westaway, S. N. Lane and D. M. Hicks** 795

Remote Sensing Letters

MODIS thermal alerts in Britain and the North Sea during the first half of 2001 **D. A. Rothery, M. T. Thorne and L. Flynn** 817

Increased accuracy multiband urban classification using a neuro-fuzzy classifier **P. Gamba and F. Dell'Acqua** 827

Flipping forests: estimating future carbon sequestration of the boreal forest using remotely sensed data **T. E. Wicks and P. J. Curran** 835

Space-borne radar interferometric mapping of precursory deformations of a dyke collapse, Dead Sea area, Jordan **D. Closson, N. A. Karaki, H. Hansen, D. Derauw, C. Barbier and A. Ozer** 843

Block bundle adjustment of Ikonos in-track images **Th. Toutin** 851

The spectral responses of *Ceratophyllum demersum* at varying depths in an experimental tank **L. Han and D. C. Rundquist** 859

Fire recognition potential of the bi-spectral Infrared Detection (BIRD) satellite **K. Briess, H. Jahn, E. Lorenz, D. Oertel, W. Skrbek and B. Zhukov** 865

Change detection in coral reef communities using Ikonos satellite sensor imagery and historic aerial photographs **D. Palandro, S. Andréfouët, P. Dustan and F. E. Muller-Karger** 873

Estimation of burnt coal seam thickness in central Borneo using JERS-1 SAR data **J. Tetuko S. S., R. Tateishi and N. Takeuchi** 879

Calculating environmental moisture for per-field discrimination of rice crops **T. G. van Niel, T. R. McVicar, H. Fang and S. Liang** 885

Urban subsidence in the city of Prato (Italy) monitored by satellite radar interferometry **D. Raucoules, S. le Mouelic, C. Carnec, C. Maisons and C. King** 891

Land use intensification and abandonment in Rondônia, Brazilian Amazônia **D. S. Alves, M. I. S. Escada, J. L. G. Pereira and C. de Albuquerque Linhares** 899

NUMBER 5

Cover. Giant glacial grooves detected on Landsat ETM+ satellite imagery **C. R. Stokes and C. D. Clark** 905

Variability of the South Atlantic upper ocean circulation: a data assimilation experiment with 5 years of TOPEX/POSEIDON altimeter observations **E. Garnier, J. Verron and B. Barnier** 911

Towards an automated ocean feature detection, extraction and classification scheme for SAR imagery **S. Y. Wu and A. K. Liu** 935

The relation between spectral reflectance and dissolved organic carbon in lake water: Kejimkujik National Park, Nova Scotia, Canada **H. Hirtle and A. Rencz** 953

Comparison of global chlorophyll climatologies: *In situ*, CZCS, Blended *in situ*-CZCS and SeaWiFS **M. E. Conkright and W. W. Gregg** 969

Role of remote sensing and GIS techniques for generation of groundwater prospect zones towards rural development—an approach **R. K. Jaiswal, S. Mukherjee, J. Krishnamurthy and R. Saxena** 993

An integrative classification of vegetation in China based on NOAA AVHRR and vegetation–climate indices of the Holdridge life zone **Y. Pan, X. Li, P. Gong, C. He, P. Shi and R. Pu** 1009

Mapping ecological conditions in the Okavango delta, Botswana using fine and coarse resolution systems including simulated SPOT vegetation imagery **S. Ringrose, C. Vanderpost and W. Matheson** 1029

Mapping habitat and biological diversity in the Maasai Mara ecosystem **B. O. Oindo, A. K. Skidmore and P. de Salvo** 1053

Comparison of sugar beet crop cover estimates from radar and optical data **S. P. Vyas, M. D. Steven, K. W. Jaggard and H. Xu** 1071

Characterization of vegetation in the south of México by means of a canonical expansion **J. Lira and E. García** 1083

Book reviews 1095

Remote Sensing Letters

Algorithm development for the estimation of snow water equivalent in the boreal forest using passive microwave data **K. Goïta, A. E. Walker and B. E. Goodison** 1097

First observation of the hot spot from space at sub-degree angular resolution using POLDER data **I. F. Grant, F.-M. Bréon and M. M. Leroy** 1103

Variability of the Seasonally Integrated Normalized Difference Vegetation Index Across the North Slope of Alaska in the 1990s **D. Stow, S. Daeschner, A. Hope, D. Douglas, A. Petersen, R. Myneni, L. Zhou and W. Oechel** 1111

Automated monitoring of snow cover over South America using GOES Imager data **P. Romanov and D. Tarpley** 1119

Wind driven upwelling in the Gulf of Nicoya, Costa Rica **C. L. Brenes, J. E. Coen, D. B. Chelton, D. B. Enfield, S. León and D. Ballestero** 1127

Predicting potential vegetation index values as a reference for the assessment and monitoring of dryland condition **M. M. Boer and J. Puigdefábregas** 1135

The empirical line method for the atmospheric correction of IKONOS imagery **E. Karpouzli and T. Malthus** 1143

Artificial neural networks as a tool for mineral potential mapping with GIS **J. P. Rigol-Sanchez, M. Chica-Olmo and F. Abarca-Hernandez** 1151

Adaptation of an algorithm for chlorophyll-a estimation by optical data in the oligotrophic Gulf of Eilat **D. Iluz, Y. Z. Yacobi and A. Gitelson** 1157

The perimeter/area ratio as an index of misregistration bias in land cover change estimates **W. A. Salas, S. H. Boles, S. Frolking, X. Xiao and C. Li** 1165

A local algorithm for estimation of yellow substance (gelbstoff) in coastal waters from SeaWiFS data: Pearl River estuary, China **C. Chen, P. Shi and H. Zhan** 1171

In-flight spectral calibration of the oxygen A-band channel of MERIS **P. Dubuisson, R. Borde, D. Dessailly and R. Santer** 1177

NUMBER 6

Cover. Development of a pseudo colour transformation technique using satellite image and survey map for change detection studies **A. K. Saraf** 1183

Determination of land surface temperature distributions from single channel IR measurements: an effective spatial interpolation method for the use of TOVS, ECMWF and radiosonde profiles in the atmospheric correction scheme **M. Schroedter, F. Olesen and H. Fischer** 1189

Retrieval and validation of land surface temperature (LST) from NOAA AVHRR thermal images of Gujarat, India **B. K. Bhattacharya and V. K. Dadhwal** 1197

Will ASTER see the Etna SO_2 plume? **S. Corradini, S. Pugnaghi, S. Teggi, M. F. Buongiorno and M. P. Bogliolo** 1207

Evaluating the performance of multitemporal image compositing algorithms for burned area analysis **A. M. O. Sousa, J. M. C. Pereira and J. M. N. Silva** 1219

Performance evaluation of spatial interpolation methods in the presence of noise **M. Demirhan, A. Özpinar and L. Özdamar** 1237

TAD—a new satellite image analysis software tool for the detection of major fires caused by technological accidents **N. Chrysoulakis and C. Cartalis** 1259

A method for object-oriented land cover classification combining Landsat TM data and aerial photographs **D. Geneletti and B. G. H. Gorte** 1273

TM and IRS-1C-PAN data fusion using multiresolution decomposition methods based on the 'a tròus' algorithm **S. Teggi, R. Cecchi and F. Serafini** 1287

Vineyard identification in an oak woodland landscape with airborne digital camera imagery **P. Gong, S. A. Mahler, G. S. Biging and D. A. Newburn** 1303

Single angle, dual angle and multi-temporal viewing: assessing through modelling the implications for forest structure variable extraction **F. Gerard** 1317

Derivation of wild vegetation cover density in semi-arid regions: ERS2/SAR evaluation **M. Zribi, S. Le Hégarat-Mascle, O. Taconet, V. Ciarletti, D. Vidal-Madjar and M. R. Boussema** 1335

Remote Sensing Letters

An IHS-based change detection approach for assessment of urban expansion impact on arable land loss in China **Z. Chen, J. Chen, P. Shi and M. Tamura** 1353

On the longitude dependence of total ozone trends over middle-latitudes **M. N. Efstathiou, C. A. Varotsos, R. P. Singh, A. P. Cracknell and C. Tzanis** 1361

The GBA2000 initiative: developing a global burnt area database from SPOT-VEGETATION imagery **J.-M. Grégoire, K. Tansey and J. M. N. Silva** 1369

On the visualization of polarimetric response **I. H. Woodhouse and D. Turner** 1377

Landslide monitoring by ground-based radar interferometry: a field test in Valdarno (Italy) **M. Pieraccini, N. Casagli, G. Luzi, D. Tarchi, D. Mecatti, L. Noferini and C. Atzeni** 1385

Utilizing fenyeng 1C (FY-1C) to monitor ocean colour and water quality: a demonstration experiment in the eastern mediterranean **D. G. Blumberg, Y. Lehahn and Y. Z. Yacobi** 1393

Texture classification of logged forests in tropical Africa using machine-learning algorithms **J. C.-W. Chan, N. Laporte and R. S. Defries** 1401

Can a sample of Landsat sensor scenes reliably estimate the global extent of tropical deforestation? **R. L. Czaplewski** 1409

NUMBER 7

Cover. Transformed Landsat image of Monastir **R. Harris** 1413

ERS tandem InSAR processing for DEM generation, glacier motion estimation and coherence analysis on Svalbard **K. Eldhuset, P. H. Andersen, S. Hauge, E. Isaksson and D. J. Weydahl** 1415

Extension of the DDV concept to retrieve aerosol properties over land from the Modular Optoelectronic Scanner (MOS) sensor **R. Borde, D. Ramon, C. Schmechtig and R. Santer** 1439

Virtual surfaces simulating the bidirectional reflectance of semiarid soils **J. Cierniewski and A. Karnieli** 1469

Flood–drought cycle of Tonle Sap and Mekong Delta area observed by DMSP-SSM/I **M. Tanaka, T. Sugimura, S. Tanaka and N. Tamai** 1487

Above-ground biomass assessment of Mediterranean forests using airborne imaging spectrometry: the DAIS Peyne experiment **S. M. de Jong, E. J. Pebesma and B. Lacaze** 1505

Landsat-5 Thematic Mapper data for pre-planting crop area evaluation in tropical countries **G. A. Ippoliti-Ramilo, J. C. N. Epiphanio and Y. E. Shimabukuro** 1521

Effects of JPEG compression on image classification **W.-L. Lau, Z.-L. Li and K. W.-K. Lam** 1535

Effective aerodynamic roughness estimated from airborne laser altimeter measurements of surface features **A. C. de Vries, W. P. Kustas, J. C. Ritchie, W. Klaassen, M. Menenti, A. Rango and J. H. Prueger** 1545

Sensitivity of mixture modelling to end-member selection **M. A. Theseira, G. Thomas, J. C. Taylor, F. Gemmell and J. Varjo** 1559

Book review 1577

Remote Sensing Letters

Landsat 7 night imaging of the Nissyros Volcano, Greece **A. Ganas and E. Lagios** 1579

Leaf and spike reflectance spectra of rice with contrasting nitrogen supplemental levels **Z. Qifa and W. Jihua** 1587

NUMBER 8

Remote sensing and GIS applications to forest fire management—new methods and sensors

Cover 1597

Foreword 1599

Review of users' needs in operational fire danger estimation: the Oklahoma example **J. D. Carlson and R. E. Burgan** 1601

Design of an empirical index to estimate fuel moisture content from NOAA-AVHRR images in forest fire danger studies **E. Chuvieco, I. Aguado, D. Cocero and D. Riaño** 1621

The use of multi-temporal Landsat Normalized Difference Vegetation Index (NDVI) data for mapping fuel models in Yosemite National Park, USA **J. W. Van Wagtendonk and R. R. Root** 1639

Assessment of forest fire danger conditions in southern Spain from NOAA images and meteorological indices **I. Aguado, E. Chuvieco, P. Martín and J. Salas** 1653

Comparative analysis of daytime fire detection algorithms using AVHRR data for the 1995 fire season in Canada: perspective for MODIS **C. Ichoku, Y. J. Kaufman, L. Giglio, Z. Li, R. H. Fraser, J.-Z. Jin and W. M. Park** 1669

Combining AVHRR and ATSR satellite sensor data for operational boreal forest fire detection **V. Kelhä, Y. Rauste, T. Häme, T. Sephton, A. Buongiorno, O. Frauenberger, K. Soini, A. Venäläinen, J. San Miguel-Ayanz and T. Vainio** 1691

A system for monitoring NO_2 emissions from biomass burning by using GOME and ATSR-2 data **L. Bruzzone, S. Casadio, R. Cossu, F. Sini and C. Zehner** 1709

A self-adaptive algorithm based on AVHRR multitemporal data analysis for small active fire detection **R. Lasaponara, V. Cuomo, M. F. Macchiato and T. Simoniello** 1723

Influence of fire severity on plant regeneration by means of remote sensing imagery **R. Díaz-Delgado, F. Lloret and X. Pons** 1751

Fire and smoke observed from the Earth Observing System MODIS instrument—products, validation, and operational use **Y. J. Kaufman, C. Ichoku, L. Giglio, S. Korontzi, D. A. Chu, W. M. Hao, R.-R. Li and C. O. Justice** 1765

Assessing the feasibility of sub-pixel burned area mapping in miombo woodlands of northern Mozambique using MODIS imagery **A. C. L. Sá, J. M. C. Pereira, M. J. P. Vasconcelos, J. M. N. Silva, N. Ribeiro and A. Awasse** 1783

NUMBER 9

Cover 1797

Spectral absorption features as indicators of water status in coast live oak (*Quercus agrifolia*) leaves **R. Pu, S. Ge, N. M. Kelly and P. Gong** 1799

Crown closure estimation of oak savannah in a dry season with Landsat TM imagery: comparison of various indices through correlation analysis **B. Xu, P. Gong and R. Pu** 1811

Discrimination of conifer height, age and crown closure classes using Landsat-5 TM imagery in the Canadian Northwest Territories **S. E. Franklin, R. J. Hall, L. Smith and G. R. Gerylo** 1823

A non-parametric, supervised classification of vegetation types on the Kaibab National Forest using decision trees **S. M. Joy, R. M. Reich and R. T. Reynolds** 1835

Review article. Monitoring secondary tropical forests using space-borne data: implications for Central America **K. L. Castro, G. A. Sanchez-Azofeifa and B. Rivard** 1853

Detection of boreal forest decline with high-resolution panchromatic satellite imagery **O. Rigina** 1895

Inter-calibration of the Moderate-Resolution Imaging Spectroradiometer and the AlongTrack Scanning Radiometer-2 **C. R. N. Rao, C. Cao and N. Zhang** 1913

Fractal approaches in texture analysis and classification of remotely sensed data: comparisons with spatial autocorrelation techniques and simple descriptive statistics **S. W. Myint** 1925

Technical note. Classification of off-diagonal points in a co-occurrence matrix **D. B. Hann, A. M. S. Smith and A. K. Powell** 1949

Nouvelle méthodologie d'évaluation des paramètres de texture d'ordre trois **A. Akono, E. Tonyé, A. N. Nyoungui and J.-P. Rudant** 1957

Comparison of adaptive filter, IHS and Fourier transform based techniques for IRS-1C PAN/LISS-III data merging **K. K. Mohanty and T. J. Majumdar** 1969

Remote Sensing Letters

A new SPOT4-VEGETATION derived land cover map of Northern Eurasia **S. A. Bartalev, A. S. Belward, D. V. Erchov and A. S. Isaev** 1977

Identifying the characteristic scale of scene variation in fine spatial resolution imagery with wavelet transform-based sub-image statistics **K. Chen and R. Blong** 1983

NUMBER 10

Cover. AVHRR detection of red tides with neural networks **W. G. Huang and X. L. Lou** 1991

Land cover mapping in support of LAI and FPAR retrievals from EOS-MODIS and MISR: classification methods and sensitivities to errors **A. Lotsch, Y. Tian, M. A. Friedl and R. B. Myneni** 1997

On the variability of the LAI of homogeneous covers with respect to the surface size and application **M. Raffy, K. Soudani and J. Trautmann** 2017

Growth profile based crop yield models: a case study of large area wheat yield modelling and its extendibility using atmospheric corrected NOAA AVHRR data **M. H. Kalubarme, M. B. Potdar, K. R. Manjunath, R. K. Mahey and S. S. Siddhu** 2037

Remote sensing of US cornbelt areas sensitive to the El Niño-Southern Oscillation **A. Wannebo and C. Rosenzweig** 2055

Evaluation of methods for soil surface moisture estimation from reflectance data **L. Weidong, F. Baret, G. Xingfa, Z. Bing, T. Qingxi and Z. Lanfen** 2069

Effects of sub-pixel heterogeneity on the retrieval of soil moisture from passive microwave radiometry **E. J. Burke and L. P. Simmonds** 2085

Vegetation response to ice disturbance and consecutive moisture extremes **L.-A. Dupigny-Giroux, C. F. Blackwell, S. Bristow and G. M. Olson** 2105

The use of SPOT VEGETATION data in a classification tree approach for burnt area mapping in Australian savanna **D. Stroppiana, J-M. Grégoire and J. M. C. Pereira** 2131

Correction of the effect of Sun–sensor–target geometry in NOAA AVHRR data **P. Bognár** 2153

On the application of Gabor filtering in supervised image classification **N. Pizzolato Angelo and V. Haertel** 2167

Remote Sensing Letters

Spatial distribution of the surface rupture zone associated with the 2001 Ms 8.1 Central Kunlun earthquake, northern Tibet, revealed by satellite remote sensing data **B. Fu and A. Lin** 2191

An autologistic regression model for increasing the accuracy of burned surface mapping using Landsat Thematic Mapper data **N. Koutsias** 2199

NUMBER 11

Cover 2205

Regional thermal inertia mapping over the Indian subcontinent using INSAT-1D VHRR data and its possible geological applications **T. J. Majumdar** 2207

An intercomparison of regional latent heat flux estimation using remote sensing data **L. Jiang and S. Islam** 2221

Satellite based forecasting of sea surface temperature in the Tuscan Archipelago **A. Alvarez, A. Orfila and J. Sellschopp** 2237

Sediment transport and depth variation study of the Gulf of Kutch using remote sensing **P. D. Kunte, B. G. Wagle and Y. Sugimori** 2253

A study of applying genetic programming to reservoir trophic state evaluation using remote sensor data **L. Chen** 2265

On the secular trends in sea ice extent over the antarctic region based on OCEANSAT-1 MSMR observations **N. K. Vyas, M. K. Dash, S. M. Bhandari, N. Khare, A. Mitra and P. C. Pandey** 2277

Radiometric nomenclatures and spatial resolutions **M. Raffy and D. Blamont** 2289

Modelling the accuracy of image data reprojection **J. C. Seong** 2309

Resolution dependence of infrared imagery of active thermal features at Kilauea Volcano **H. Gaonac'h, S. Lovejoy and D. Schertzer** 2323

Temporal responses of NDVI to precipitation and temperature in the central Great Plains, USA **J. Wang, P. M. Rich and K. P. Price** 2345

Technical note. Water vapour correction of the daily 1 km AVHRR global land dataset: part I – validation and use of the Water Vapour input field **T. P. DeFelice, D. Lloyd, D. J. Meyer, T. T. Baltzer and P. Piraino** 2365

Thematic Mapper analysis to identify geomorphologic and sediment texture of El Tineh plain, north-western coast of Sinai, Egypt **Kh. M. Dewidar and O. E. Frihy** 2377

NUMBER 12

Cover 2387

The cloud analysis tool APOLLO: improvements and validations **K. T. Kriebel, G. Gesell, M. Kästner and H. Mannstein** 2389

Global scale monitoring of soil and vegetation using SSM/I and ERS wind scatterometer **G. Macelloni, S. Paloscia, P. Pampaloni and E. Santi** 2409

Exploration for gold using panchromatic stereoscopic intelligence satellite photographs and Landsat TM data in the Hebei area, China **B. Rein and H. Kaufmann** 2427

SPOT HRV data analysis for detecting earthquake-induced changes in Izmit, Turkey **M. Turker and B. T. San** 2439

A detail-preserving and flexible adaptive filter for speckle suppression in SAR imagery **J. Xiao, J. Li and A. Moody** 2451

Two fast buried pipe detection schemes in Ground Penetrating Radar images **P. Gamba and V. Belotti** 2467

Land-cover classification of China: integrated analysis of AVHRR imagery and geophysical data **J. Y. Liu, D. F. Zhuang, D. Luo and X. Xiao** 2485

Multitemporal land-cover classification of Mexico using Landsat MSS imagery **R. Alvarez, R. Bonifaz, R. S. Lunetta, C. García, G. Gómez, R. Castro, A. Bernal and A. L. Cabrera** 2501

Measurement of habitat predictor variables for organism–habitat models using remote sensing and image segmentation **D. C. Mason, G. Q. A. Anderson, R. B. Bradbury, D. M. Cobby, I. J. Davenport, M. Vandepoll and J. D. Wilson** 2515

Assessing habitat protection regimes in Tanzania using AVHRR NDVI composites: comparisons at different spatial and temporal scales **N. W. Pelkey, C. J. Stoner and T. M. Caro** 2533

Remote Sensing Letters

Northern hemispheric NDVI variations associated with large-scale climate indices in spring **D.-Y. Gong and P.-J. Shi** 2559

Classification of soils based on engineering indices and spectral data **P. C. Kariuki, F. van der Meer and W. Siderius** 2567

Estimation of the moisture content of bare soil from RADARSAT-1 SAR using simple empirical models **M. R. Sahebi, F. Bonn and Q. H. J. Gwyn** 2575

NUMBER 13

Remote Sensing of the Coastal Marine Environment

Cover. Integrating field and high spatial resolution satellite-based methods for monitoring shallow submersed aquatic habitats in the Sound of Eriskay, Scotland, UK **T. J. Malthus and E. Karpouzli** 2585

Preface **T. Malthus and P. Mumby** 2595

Comparison of ship and satellite bio-optical measurements on the continental margin of the NE Gulf of Mexico **C. Hu, F. E. Muller-Karger, D. C. Biggs, K. L. Carder, B. Nababan, D. Nadeau and J. Vanderbloemen** 2597

Using geomorphological rules to classify photogrammetrically-derived digital elevation models **A. B. Moore, K. P. Morris, G. K. Blackwell, A. R. Jones and P. C. Sims** 2613

Coral reef habitat discrimination using multivariate spectral analysis and satellite remote sensing **K. A. Call, J. T. Hardy and D. O. Wallin** 2627

Using an Acoustic Ground Discrimination System to map coral reef benthic classes **W. H. White, A. R. Harborne, I. S. Sotheran, R. Walton and R. L. Foster-Smith** 2641

Multi-scale remote sensing of microbial mats in an atoll environment **S. Andréfouët, E. J. Hochberg, C. Payri, M. J. Atkinson, F. E. Muller-Karger and H. Ripley** 2661

Underwater light characterisation for correction of remotely sensed images **E. Karpouzli, T. Malthus, C. Place, A. M. Chui, M. I. Garcia and J. Mair** 2683

Monitoring *Posidonia oceanica* meadows in a Mediterranean coastal lagoon (Stagnone, Italy) by means of neural network and ISODATA classification methods **S. Calvo, G. Ciraolo and G. La Loggia** 2703

The use of airborne remote sensing for extensive mapping of intertidal sediments and saltmarshes in eastern England **A. G. Thomson, R. M. Fuller, M. G. Yates, S. L. Brown, R. Cox and R. A. Wadsworth** 2717

High resolution mapping of tropical mangrove ecosystems using hyperspectral and radar remote sensing **A. Held, C. Ticehurst, L. Lymburner and N. Williams** 2739

Mapping marine benthic biotopes using acoustic ground discrimination systems **R. L. Foster-Smith and I. S. Sotheran** 2761

Platform options of free-flying satellites, UAVs or the International Space Station for remote sensing assessment of the littoral zone **D. L. Peterson, J. A. Brass, W. H. Smith, G. Langford, S. Wegener, S. Dunagan, P. Hammer and K. Snook** 2785

Remote sensing of the coastal zone: an overview and priorities for future research **T. J. Malthus and P. J. Mumby** 2805

NUMBER 14

Cover 2817

A new approach for simulating water erosion on hillslopes **D. Y. Shen, A. N. Ma, H. Lin, X. H. Nie, S. J. Mao, B. Zhang and J. J. Shi** 2819

Cost-effective non-metric close-range digital photogrammetry and its application to a study of coarse gravel river beds **P. E. Carbonneau, S. N. Lane and N. E. Bergeron** 2837

Vegetation indices derived from high-resolution airborne videography for precision crop management **G. Metternicht** 2855

Biophysical and yield information for precision farming from near-real-time and historical Landsat TM images **P. S. Thenkabail** 2879

An evaluation of per-parcel land cover mapping using maximum likelihood class probabilities **A. M. Dean and G. M. Smith** 2905

Sensitivity analysis for the aerosol retrieval over land for MERIS **C. Schmechtig, V. Carrère, P. Dubuisson, J. C. Roger and R. Santer** 2921

Determination of scaling characteristics of AVHRR data with wavelets: application to SGP97 **N. A. Brunsell and R. R. Gillies** 2945

Assimilating remote sensing data into a land-surface process model **K. Schneider** 2959

Remote Sensing Letters

Higher-order interpolation of regular grid digital elevation models **D. B. Kidner** 2981

The application of a dedicated device to acquire bidirectional reflectance factors over natural surfaces **C. Giardino and P. A. Brivio** 2989

DEM generation in the densely vegetated area of Hotan, north-west China using SIR-C repeat pass polariometric SAR interferometry **X. Li, H. Guo, C. Wang, Z. Li and J. Liao** 2997

Evidence of azimuthal anisotropy for the thermal infrared radiation leaving the Earth's atmosphere **N. Clerbaux, A. Ipe, C. Bertrand, S. Dewitte, B. Nicula and L. Gonzalez** 3005

NUMBER 15

Cover 3011

Marine oil spill detection, statistics and mapping with ERS SAR imagery in south-east Asia **J. Lu** 3013

The changeable sampling-rate processing technology with application to SAR–MTD **H.-B. Sun, S.-L. Wang, G.-S. Liu and J.-L. Ni** 3033

On the shape of reflecting surfaces investigated by a 60 MHz radar **C. Bianchi, U. Sciacca, E. Tabacco, A. Zirizzotti and E. Zuccheretti** 3049

Explaining temporal and spatial variation in soil moisture in a bare field using SAR imagery **R. E. J. Kelly, T. J. A. Davie and P. M. Atkinson** 3059

Doppler spectrum of radio wave scattering from ocean-like moving surfaces for a finite illuminated area **Y. Hisaki** 3075

Classification analyses of vegetation for delineating forest fire fuel complexes in a Mediterranean test site using satellite remote sensing and GIS **N. Koutsias and M. Karteris** 3093

Remotely-sensed indicators of burning efficiency of savannah and forest fires **E. F. Lambin, K. Goyvaerts and C. Petit** 3105

A physical method to analyse scattered waves from burnt coal seam and its application to estimate thickness of fire scars in central Borneo using L-Band SAR data **J. Tetuko S.S., R. Tateishi and N. Takeuchi** 3119

Remote sensing parameterization of regional net radiation over heterogeneous land surface of Tibetan Plateau and arid area **Y. Ma** 3137

An efficient method for searching periodic orbits in Earth observation missions **M. Lara, F. Blesa, A. Elipe and M. A. Soriano** 3149

Remote Sensing Letters

Regional correction of ocean surface specific humidity derived from satellite sensor data **D. Bourras and W. T. Liu** 3163

Hyperspectral identification of grassland vegetation in Xilinhot, Inner Mongolia, China **H. Yamano, J. Chen and M. Tamura** 3171

An evaluation of fuzzy classifications from IRS 1C LISS III imagery: a case study **M. A. Shalan, M. K. Arora and S. K. Ghosh** 3179

Erratum 3187

NUMBER 16

Cover 3189

Application of a lidar fluorosensor system to the continuous and remote monitoring of the Southern Ocean and Antarctic Ross Sea: results collected during the XIII and XV Italian oceanographic campaigns **R. Barbini, F. Colao, R. Fantoni, G. M. Ferrari, A. Lai and A. Palucci** 3191

Lidar fluorosensor calibration of the SeaWiFS chlorophyll algorithm in the Ross Sea **R. Barbini, F. Colao, R. Fantoni, L. Fiorani and A. Palucci** 3205

Environmental characterization of a hypersaline coastal lagoon from Landsat-5 Thematic Mapper data **C. Z. F. Braga, M. L. Vianna and B. Kjerfve** 3219

Spectral irradiance profiles of suspended marine clay for the estimation of suspended sediment concentration in tropical waters **K. Y.-H. Gin, S. T. Koh and I.-I. Lin** 3235

Seasonal and interannual variability of oceanographic processes in the Gulf of Guinea: an investigation using AVHRR sea surface temperature data **N. J. Hardman-Mountford and J. M. McGlade** 3247

Atmospheric corrections of single broadband channel and multidirectional airborne thermal infrared data: application to the ReSeDA experiment **F. Jacob, X. F. Gu, J.-F. Hanocq, N. Tallet and F. Baret** 3269

The iterative flux-profile method for remote sensing applications **A. Gieske** 3291

Post-classification change detection with data from different sensors: some accuracy considerations **P. Serra, X. Pons and D. Saurí** 3311

Book Reviews 3341

Remote Sensing Letters

Multi-temporal compositing approaches for SPOT-4 VEGETATION **A. Cabral, M. J. P. de Vasconcelos, J. M. C. Pereira, É. Bartholomé and P. Mayaux** 3343

NUMBER 17

Cover 3351

A new algorithm for the detection of plumes caused by industrial accidents, based on NOAA/AVHRR imagery **N. Chrysoulakis and C. Cartalis** 3353

Practical atmospheric correction of NOAA-AVHRR data using the bare-sand soil line method **H. Chi** 3369

Land cover classification in the Argentine Pampas using multi-temporal Landsat TM data **J. P. Guerschman, J. M. Paruelo, C. Di Bella, M. C. Giallorenzi and F. Pacin** 3381

Evaluating different NDVI composite techniques using NOAA-14 AVHRR data **P.-Y. Chen, R. Srinivasan, G. Fedosejevs and J. R. Kiniry** 3403

Interannual growth dynamics of vegetation in the Kuparuk River watershed, Alaska based on the Normalized Difference Vegetation Index **A. S. Hope, W. L. Boynton, D. A. Stow and D. C. Douglas** 3413

Evaluation of compositing algorithms over the Brazilian Amazon using SPOT-4 VEGETATION data **J. M. B. Carreiras, J. M. C. Pereira, Y. E. Shimabukuro and D. Stroppiana** 3427

Monitoring Leaf Area Index of Mediterranean oak woodlands: comparison of remotely-sensed estimates with simulations from an ecological process-based model **D. Caraux Garson and B. Lacaze** 3441

Assessment of post-flooding conditions of rice fields with multi-temporal satellite SAR data **K. S. Lee and S. I. Lee** 3457

Automated designation of tie-points for image-to-image coregistration **R. E. Kennedy and W. B. Cohen** 3467

Crisp and fuzzy competitive learning networks for supervised classification of multi-spectral IRS scenes **B. Mannan and A. K. Ray** 3491

Correcting satellite imagery for the variance of reflectance and illumination with topography **J. D. Shepherd and J. R. Dymond** 3503

Remote Sensing Letters

Effect of wavelength selection on characterization of fire size and temperature **L. Giglio and C. O. Justice** 3515

NUMBER 18

Cover 3521

Detection of a landslide movement as geometric misregistration in image matching of SPOT HRV data of two different dates **Y. Yamaguchi, S. Tanaka, T. Odajima, T. Kamai and S. Tsuchida** 3523

Structural framework and its formation of the Kalpin thrust belt, Tarim Basin, north-west China, from Landsat TM data **P. Li, Z. Zhou, J. Li, C. Zhang, W. He and M. Suh** 3535

Integrating interferometric SAR data with levelling measurements of land subsidence using geostatistics **Y. Zhou, A. Stein and M. Molenaar** 3547

Classification of SAR images using a general and tractable multiplicative model **M. E. Mejail, J. C. Jacobo-Berlles, A. C. Frery and O. H. Bustos** 3565

ERS SAR interferometry for land cover mapping in a savanna area in Africa **A. A. Okhimamhe** 3583

Annual and interannual variability of NDVI in Brazil and its connections with climate **H. C. Gurgel and N. J. Ferreira** 3595

Devising a new Digital Vegetation Model for eco-climatic analysis in Africa using GIS and NOAA AVHRR data **A. Nonomura, K. Sanga-Ngoie and K. Fukuyama** 3611

Calibration of visible and near-infrared channels of the NOAA-12 AVHRR using time series of observations over deserts **A. K. Heidinger, J. T. Sullivan and C. R. Nagaraja Rao** 3635

Mapping of the tropical forest cover of insular Southeast Asia from SPOT4-Vegetation images **H-J. Stibig, R. Beuchle and F. Achard** 3651

Airborne forest fire mapping with an adaptive infrared sensor **D. Oertel, K. Briess, W. Halle, M. Neidhardt, E. Lorenz, R. Sandau, F. Schrandt, W. Skrbek, H. Venus, I. Walter, B. Zender, B. Zhukov, J. G. Goldammer, A. C. Held, M. Hille and H. Brueggemann** 3663

Remote Sensing Letters

Digital elevation model combination using triangular image warping interpolation and maximum likelihood **C.-S. Ye, B. M. Jeon and K.-H. Lee** 3683

Fishery forecast using OCM chlorophyll concentration and AVHRR SST: validation results off Gujarat coast, India **H. U. Solanki, R. M. Dwivedi, S. R. Nayak, V. S. Somvanshi, D. K. Gulati and S. K. Pattnayak** 3691

Mutual information-based image registration for remote sensing data **H.-M. Chen, M. K. Arora and P. K. Varshney** 3701

NUMBER 19

Cover 3707

Landsat TM analysis of fracture patterns: a case study from the Coastal Cordillera of northern Chile **D. P. Leech, P. J. Treloar, N. S. Lucas and J. Grocott** 3709

Spatial analysis of thermal anomalies from airborne multi-spectral data **X. Zhang, J. L. Van Genderen, H. Guan and S. Kroonenberg** 3727

Simulation of scaling effects of thermal emission from non-isothermal pixels with the typical three-dimensional structure **L. Su, X. Li, S. Liang and A. H. Strahler** 3743

Relating wetland inundation to river flow using Landsat TM data **P. Frazier, K. Page, J. Louis, S. Briggs and A. I. Robertson** 3755

Feasibility of airborne imaging spectrometry for lake monitoring—a case study of spatial chlorophyll *a* distribution in two meso-eutrophic lakes **K. Kallio, S. Koponen and J. Pulliainen** 3771

An algorithm for the retrieval of suspended sediment concentrations in the Irish Sea from SeaWiFS ocean colour satellite imagery **C. E. Binding, D. G. Bowers and E.-G. Mitchelson-Jacob** 3791

Simultaneous measurements of remote lidar chlorophyll and surface CO_2 distributions in the Ross Sea **R. Barbini, R. Fantoni, A. Palucci, F. Colao, S. Sandrini, S. Ceradini, L. Tositti, O. Tubertini and G. M. Ferrari** 3807

Retrieval of atmospheric water vapour using a ground-based single-channel microwave radiometer **P. Jarlemark and G. Elgered** 3821

Fully polarimetric airborne SAR and ERS SAR observations of snow: implications for selection of ENVISAT ASAR modes **T. Guneriussen and H. Johnsen** 3839

Design of a three-dimensional near real-time image processing system **H. You, S. Liu, S. Li and D. Jin** 3855

Remote Sensing Letters

Fourth derivative analysis of Red Sea coral reflectance spectra **M. Wettle, G. Ferrier, A. J. Lawrence and K. Anderson** 3867

A frame centre matching approach to registration for change detection with fine spatial resolution multi-temporal imagery **D. Stow, L. Coulter and S. Baer** 3873

NUMBER 20

Geospatial knowledge processing for natural resource management

Cover 3883

Preface **A. Belward, E. Binaghi, P. A. Brivio, G. A. Lanzarone and G. Tosi** 3885

Main problems in building European environmental spatial data **A. Annoni and P. Smits** 3887

BANCO: an SVG-based approach to create Web sites for the management of remote sensing, spatial and non-spatial data **P. Carrara, G. Fresta and A. Rampini** 3903

Radial Basis Function and Multilayer Perceptron neural networks for sea water optically active parameter estimation in case II waters: a comparison **G. Corsini, M. Diani, R. Grasso, M. De Martino, P. Mantero and S. B. Serpico** 3917

Data fusion and feature extraction in the wavelet domain **M. O. Ulfarsson, J. A. Benediktsson and J. R. Sveinsson** 3933

A neural adaptive model for feature extraction and recognition in high resolution remote sensing imagery **E. Binaghi, I. Gallo and M. Pepe** 3947

Bayesian classification by data augmentation **M. Reguzzoni, F. Sansò, G. Venuti and P. A. Brivio** 3961

Application of satellite remote sensing in natural hazard management: the Mount Mangart landslide case study **K. Oštir, T. Veljanovski, T. Podobnikar and Z. Stančič** 3983

Mapping burned surfaces in Sub-Saharan Africa based on multi-temporal neural classification **P. A. Brivio, M. Maggi, E. Binaghi and I. Gallo** 4003

Retrospective studies of grazing-induced land degradation: a case study in central Crete, Greece **P. Hostert, A. Röder, J. Hill, T. Udelhoven and G. Tsiourlis** 4019

Remote sensing of tropical forest environments: towards the monitoring of environmental resources for sustainable development **G. M. Foody** 4035

Development of a consistent multi-sensor global ocean colour time series **R. A. Barnes, D. K. Clark, W. E. Esaias, G. S. Fargion, G. C. Feldman and C. R. McClain** 4047

NUMBER 21

Cover. SeaWiFS maps water quality parameters of the White Sea **D. Pozdnyakov, L. Pettersson, O. M. Johannessen, A. Liaskovski, N. Filatov and L. Bobylev** 4065

Mangrove research and coastal ecosystem studies with SPOT-4 HRVIR and TERRA ASTER in the Arabian Gulf **H. Saito, M. F. Bellan, A. Al-Habshi, M. Aizpuru and F. Blasco** 4073

Spectral reflectance characterization of shallow lakes from the Brazilian Pantanal wetlands with field and airborne hyperspectral data **L. S. Galvão, W. Pereira Filho, M. M. Abdon, E. M. M. L. Novo, J. S. V. Silva and F. J. Ponzoni** 4093

Using wavelet analysis to classify and segment sonar signals scattered from underwater sea beds **L. Atallah and P. J. Probert Smith** 4113

Comparison of methods of snow cover mapping by analysing the solar spectrum of satellite remote sensing data in China **J. Wang and W. Li** 4129

Study of urban spatial patterns from SPOT panchromatic imagery using textural analysis **Q. Zhang, J. Wang, P. Gong and P. Shi** 4137

Applying evidential reasoning methods to agricultural land cover classification **J. K. Lein** 4161

Land cover characterization and mapping of continental Southeast Asia using multi-resolution satellite sensor data **C. Giri, P. Defourny and S. Shrestha** 4181

Improvements in land use mapping for irrigated agriculture from satellite sensor data using a multi-stage maximum likelihood classification **I. A. El-Magd and T. W. Tanton** 4197

Towards an operational system for regional-scale rice yield estimation using a time-series of Radarsat ScanSAR images **Y. Li, Q. Liao, X. Li, S. Liao, G. Chi and S. Peng** 4207

Books received 4221

Remote Sensing Letters

Smoke effects on NDVI determination of savannah vegetation types **M. L. de Moura and L. S. Galvão** 4225

Targeting key alteration minerals in epithermal deposits in Patagonia, Argentina, using ASTER imagery and principal component analysis **A. P. Crósta, C. R. de Souza Filho, F. Azevedo and C. Brodie** 4233

Using genetic algorithms in sub-pixel mapping **K. C. Mertens, L. P. C. Verbeke, E. I. Ducheyne and R. R. De Wulf** 4241

NUMBER 22

Cover. Can satellite images provide useful information on refugee camps? **S. Giada, T. de Groeve, D. Ehrlich and P. Soille** 4249

Information extraction from very high resolution satellite imagery over Lukole refugee camp, Tanzania **S. Giada, T. de Groeve, D. Ehrlich and P. Soille** 4251

Planimetric accuracy of Ikonos 1 m panchromatic orthoimage products and their utility for local government GIS basemap applications **C. H. Davis and X. Wang** 4267

Comparison and fusion of LIDAR and InSAR digital elevation models over urban areas **P. Gamba, F. dell'Acqua and B. Houshmand** 4289

Bayesian inversion of imaging spectrometer data using a fuzzy geological outcrop model **F. Van der Meer** 4301

Spectral indices for lithologic discrimination and mapping by using the ASTER SWIR bands **Y. Yamaguchi and C. Naito** 4311

The role of tectonic inheritance in the development of recent fracture systems, Duero Basin, Spain **A. L. Cortés, M. A. Soriano, A. Maestro and A. M. Casas** 4325

The delineation of reclamative groups of ravines in the Indo-Gangetic alluvial plains using IRS-1D LISS-III data **R. S. Dwivedi and K. V. Ramana** 4347

Spectral enhancement of selected pixels in Thematic Mapper images of the Guanajuato district (Mexico) to identify hydrothermally altered rocks **M. A. Torres-Vera and R. M. Prol-Ledesma** 4357

Seismic unloading and loading in northern central Chile as observed by differential Synthetic Aperture Radar Interferometry (D-INSAR) and GPS **Y. Xia, G. W. Michel, Ch. Reigber, J. Klotz and H. Kaufmann** 4375

Vegetation and temperature condition indices from NOAA AVHRR data for drought monitoring over India **R. P. Singh, S. Roy and F. Kogan** 4393

Usefulness of spectral reflectance indices as durum wheat yield predictors under contrasting Mediterranean conditions **C. Royo, N. Aparicio, D. Villegas, J. Casadesus, P. Monneveux and J. L. Araus** 4403

The role of C_3 and C_4 grasses to interannual variability in remotely sensed ecosystem performance over the US Great Plains **C. Ricotta, B. C. Reed and L. T. Tieszen** 4421

Oakwood crown closure estimation by unmixing Landsat TM data **R. Pu, B. Xu and P. Gong** 4433

An approach for assessing boreal forest conditions based on combined use of satellite SAR and multi-spectral data **V. V. Miles, L. P. Bobylev, S. V. Maximov, O. M. Johannessen and V. M. Pitulko** 4447

Multi-temporal analysis of deforestation in Rondônia state in Brazil using Landsat MSS, TM, ETM + and NOAA AVHRR imagery and its relationship to changes in the local hydrological environment **K. Ichii, M. Maruyama and Y. Yamaguchi** 4467

Using multiple image endmember spectral mixture analysis to study chaparral regrowth in southern California **S. H. Peterson and D. A. Stow** 4481

A multi-year active fire dataset for the tropics derived from the TRMM VIRS **L. Giglio, J. D. Kendall and R. Mack** 4505

Use of AVHRR-derived surface temperatures in evaluating a land–atmosphere model **R. C. Hale and C. E. Duchon** 4527

Correcting the orbit drift effect on AVHRR land surface skin temperature measurements **M. Jin and R. E. Treadon** 4543

Further validation of a new methodology for surface moisture and vegetation optical depth retrieval **R. A. M. de Jeu and M. Owe** 4559

Mapping near-surface soil moisture on regional scale using ERS-2 SAR data **A. Oldak, T. J. Jackson, P. Starks and R. Elliott** 4579

Spaceborne soil moisture estimation at high resolution: a microwave-optical/IR synergistic approach **N. S. Chauhan, S. Miller and P. Ardanuy** 4599

Book review 4623

NUMBER 23

Cover. IKONOS imagery for mapping transportation infrastructure **D. O. Fuller, R. A. Williamson and M. Jeffe** 4625

Detecting and discriminating impervious cover with high-resolution IKONOS data using principal component analysis and morphological operators **M. E. Cablk and T. B. Minor** 4627

Spatial resolution improvement of remote sensing images by fusion of subpixel-shifted multi-observation images **Y. Lu and M. Inamura** 4647

A knowledge-integrated stepwise optimization model for feature mining in remotely sensed images **J. C. Luo, J. Zheng, Y. Leung and C. H. Zhou** 4661

Geometric processing of hyperspectral image data acquired by VIFIS on board light aircraft **Y. Gu and J. M. Anderson** 4681

Simple calibration of AVIRIS data and LAI mapping of forest plantation in southern Argentina **R. Pu, P. Gong and G. S. Biging** 4699

Weathering sequence of soils developed from basalt as evaluated by laboratory (IRIS), airborne (AVIRIS) and orbital (TM) sensors **J. A. M. Demattê and M. R. Nanni** 4715

A practical algorithm to infer soil and foliage component temperatures from bi-angular ATSR-2 data **L. Jia, Z.-L. Li, M. Menenti, Z. Su, W. Verhoef and Z. Wan** 4739

Fusion of surface relief data with high spectral and spatial resolution satellite remote sensor data for deciphering geological information in a mature topographic terrain **R. S. Chatterjee, B. Prabakaran and V. K. Jha** 4761

A data fusion approach for soil erosion monitoring in the Upper Yangtze River Basin of China based on Universal Soil Loss Equation (USLE) model **J. W. Ma, Y. Xue, C. F. Ma and Z. G. Wang** 4777

Remote sensing of the 1998 mudflow at Casita volcano, Nicaragua **N. Kerle, J.-L. Froger, C. Oppenheimer and B. Van Wyk De Vries** 4791

Characterization of rainfall-induced landslides **F. C. Dai, C. F. Lee and S. J. Wang** 4817

Remote sensing of agriculture change in Oman **R. Harris** 4835

A system for monitoring land cover **C. Skelsey, A. N. R. Law, M. Winter and J. R. Lishman** 4853

Classification of wheat crop with multi-temporal images: performance of maximum likelihood and artificial neural networks **C. S. Murthy, P. V. Raju and K. V. S. Badrinath** 4871

Training a neural network with a canopy reflectance model to estimate crop leaf area index **F. M. Danson, C. S. Rowland and F. Baret** 4891

The use of backpropagating artificial neural networks in land cover classification **T. Kavzoglu and P. M. Mather** 4907

Retrieval of wheat chlorophyll by an X-band scatterometer **D. Singh, Y. Yamaguchi, H. Yamada and K. P. Singh** 4939

Assessment of shoreline changes in the western side of Zanzibar channel using satellite remote sensing **Y. W. Shaghude, K. O. Wannäs and B. Lundén** 4953

Remote Sensing Letters

Global stratospheric ozone profiles from GOME in near-real time **R. J. van der A, A. J. M. Piters, R. F. van Oss and C. Zehner** 4969

Erratum. Post-classification change detection with data from different sensors: some accuracy considerations **P. Serra, X. Pons and D. Saurí** 4975

NUMBER 24

Cover 4977

Mapping the Nidar Ophiolite Complex of the Indus Suture Zone, Northwestern-Trans Himalaya using IRS-1C/1D data **G. Philip, K. V. Ravindran and J. Mathew** 4979

A comparison of methods to relate grass reflectance to soil metal contamination **L. Kooistra, R. S. E. W. Leuven, R. Wehrens, P. H. Nienhuis and L. M. C. Buydens** 4995

Comparison between *in situ* and MODIS-derived spectral reflectances of snow and sea ice in the Amundsen Sea, Antarctica **X. Zhou and S. Li** 5011

Radiometric measurements of the sea-surface skin temperature: the competing roles of the diurnal thermocline and the cool skin **P. J. Minnett** 5033

Estimation of phytoplankton pigment concentration in the Gulf of Aqaba (Eilat) by *in situ* and remote sensing single-wavelength algorithms **L. Sokoletsky, Z. Dubinsky, M. Shoshany and N. Stambler** 5049

Electromagnetic wave scattering from the sea surface in the presence of wind wave patterns **V. I. Shrira, S. I. Badulin and A. G. Voronovich** 5075

A new approach for retrieving precipitable water from ATSR2 split-window channel data over land area **Z.-L. Li, L. Jia, Z. Su, Z. Wan and R. Zhang** 5095

Global structure of marine wind speed variability derived from TOPEX altimeter data **G. Chen, S. W. Bi and J. Ma** 5119

The radiative impact of aerosols emanating from biomass burning, through the Minnaert constant **V. Karathanassi, V. Andronis and D. Rokos** 5135

Shortwave direct radiative forcing of Saharan dust aerosols over the Atlantic Ocean **X. Liu, J. Wang and S. A. Christopher** 5147

Surface temperature and water vapour retrieval from MODIS data **J. A. Sobrino, J. El Kharraz and Z.-L. Li** 5161

Redundant space calibration of hexagonal and Y-shaped beamforming radars and interferometric radiometers **A. Camps, F. Torres, P. Lopez-Dekker and S. J. Frasier** 5183

Evaluation of speckle noise MAP filtering algorithms applied to SAR images **F. N. S. Medeiros, N. D. A. Mascarenhas and L. F. Costa** 5197

Near real-time geocoding of SAR imagery with orbit error removal **A. J. E. Smith** 5219

Modelling of ERS-2 radar backscattering over rocky arid regions **M. Zribi, J. C. Garcia, N. Aqid, E. Adar and V. Ciarletti** 5229

Radar stereo- and interferometry-derived digital elevation models: comparison and combination using Radarsat and ERS-2 imagery **M. Gelautz, P. Paillou, C. W. Chen and H. A. Zebker** 5243

Relationships between Radarsat SAR data and surface moisture content of agricultural organic soils **R. Mathieu, M. Sbih, A. A. Viau, F. Anctil, L. E. Parent and J. Boisvert** 5265

Controls on Eurasian coastal sea ice formation, melt onset and decay from ERS scatterometry: regional contrasts and effects of river influx **K. E. Frey, L. C. Smith and D. E. Alsdorf** 5283

Statistical evaluation of remotely sensed data for water quality monitoring **F. Bilge, B. Yazici, T. Dogeroglu and C. Ayday** 5317

Passive and active airborne microwave remote sensing of snow cover **J. Sokol, T. J. Pultz and A. E. Walker** 5327

Improved calibration of Landsat-5 TM applicable for high-latitude and dark areas **N. Kamstrup and L. B. Hansen** 5345

Calibration of the visible and near-infrared channels of NOAA-11 and -14 AVHRRs by using reflections from molecular atmosphere and stratus cloud **H. Iwabuchi** 5367

Thermal–infrared emissivities of natural surfaces: improvements on the experimental set-up and new measurements **E. Rubio, V. Caselles, C. Coll, E. Valour and F. Sospedra** 5379

Remote Sensing Letters

Using the cross-spectral phase to filter slicks in the ENVISAT ASAR wave mode product **A. J. E. Smith and F. J. Melger** 5391

Index of authors (with titles of papers) 5397